
The purpose of this document is to provide a guide of what is required to carry a Tepui rooftop tent. Please note: Thule only recommends Thule Roof Rack Systems for Tepui tents - Thule cannot guarantee compatibility or maximum weight capacity for any other brand of racks. Please check with your manufacturer before purchase of tent/ installation.

### DO NOT USE TEPUI TENT ON ANY TYPE OF CLAMP STYLE RACK.



Any type of clamp mount rack system **CAN NOT** be used with Tepui Tents.

The high static weight may cause damage to roof. This means any system using a 754, 7105 or 7205 foot-pack **CAN NOT be used with Tepui Tents**.

### DO NOT USE TEPUI TENT ON ANY TYPE OF EDGE BAR SYSTEM

Tepui tents **CAN NOT** be used on any type of edge bar system. The high static weight may cause damage to roof.

This means any system using a 958X or 959X bar or 7204, 7205, 7206 or 7207 foot-pack **CAN NOT be**used with Tepui Tents.

## DO NOT USE TEPUI TENT WITH ANY TYPE OF SLIDE BAR

Tepui Tents CAN NOT be used with 891, 892, 893 slide bars, or any other type of slide bar.

# DO NOT USE TEPUI TENT ON FACTORY INSTALLED CROSSBARS, OR ANY VEHICLE WITH GLASS ROOF

Tepui Tents **CAN NOT** be used on vehicles with factory installed crossbars.

Tepui Tents **CAN NOT** be used on any type of vehicle with a glass roof. Cars with sunroofs may be used with Tepui Tents, but the opening function should not be used.

# To clarify this document or seek advice, contact us at info@sportandcargo.co.nz




### **THULE Tepui Guide**

Thule provides a fit guide which can determine if the vehicle and rack system is a safe fit for a tent, and which tents may be compatible. This can be found at:

### https://www2.thule.com/en-nz/buyers-guide?c=rooftop+tents

Using the drop-down boxes shown below, select the make, year, and model of vehicle. This will either confirm the vehicle is not suitable for a tent, or prompt for the vehicle's roof type and rack system. Once all options are selected, the configurator will either show no tents are suitable, or suggest tent types that may be compatible with vehicle and rack system.



If the vehicle is not listed, please contact us to confirm vehicle suitability.


<u>Please Note:</u> the above is a guide only – it is useful to confirm roof load capacity with vehicle manufacturer.

It may be possible to carry other items on the roof, for example a bike or kayak, as well as the rooftop tent. The weights of these items (and their carrier) **MUST** be included in total weight calculations.



### Things to note:


- The vehicle and roof rack MUST have a minimum dynamic (driving) weight of 75 kg. For tents weighing greater than 75kg, the maximum weight capacity for the rack and vehicle MUST be greater than or equal to the tent weight. Roof rack weights can be found on thule.com, the user manual or by contacting Sport & Cargo. Please check the vehicle instruction booklet for roof load capacities (remember to include the weight of the rack system when calculating total loads).
- Weight capacity of tent in use, with people inside the tent (static weight) can exceed the dynamic weight capacity of the rack partially supported by the ladder. The tent's static weight capacity is stated for each tent. As a guideline, 3 times the stated roof rack capacity can be used in static mode (roof rack and tent included).
- When mounting a Tepui Tent to a vehicle with raised rails:
  - (A) Ensure raised rails are structurally supported
  - (B) Ensure crossbars are positioned next to the supports of the raised rails



### **Crossbar Dimensions**

Tepui tents will fit a crossbar of maximum width 80mm and hight of 38mm, as shown:

Mounting bracket 901882 may offer a solution to bars outside this range.



Minimum railing distance required is determined by tent model:

- 2-person tent ≥ 60cm
- 3-person tent ≥ 81cm
- 4-person tent ≥ 75cm

